

ABSTRACT

TITOLO: Lesioni da pressione: aspetti sulla prevenzione, la valutazione e la gestione infermieristica

INTRODUZIONE: Nell'elaborato si affronta la tematica delle Lesioni da Pressione (LdP), la quale secondo la NPUAP-EPUAP un'ulcera da pressione è una lesione localizzata alla cute e/o agli strati sottostanti, generalmente in corrispondenza di una prominente ossea, quale risultato di pressione.

MATERIALI E METODI: Per lo sviluppo della tesi è stato necessario reperire delle linee guida ufficiali e procedure delle attività assistenziali infermieristiche riguardante le LdP.

RISULTATI: Attraverso le conoscenze, la valutazione tramite le scale Norton e Braden, la prevenzione e il trattamento, l'infermiere è chiamato ad indirizzare la propria pratica attraverso l'appropriatezza, efficacia ed efficienza mediante l'organizzazione del processo assistenziale.

CONCLUSIONI: Con questo elaborato è emerso che le procedure rappresentano una successione logica di azioni, allo scopo di raccomandare la modalità ottimale di eseguire una tecnica infermieristica, con obiettivo finale quello di risolvere totalmente o in parte la complicità presa in esame.

BIBLIOGRAFIA:

1. Agency for Healthcare Research and Quality. AHRQ National Scorecard on Hospital-Acquired Conditions. Final Results for 2014 Through 2017. Rockville, MD: Agency for Healthcare Research and Quality; 2020.
2. Agency for Healthcare Research and Quality (AHRQ). AHRQ National Scorecard on Hospital-Acquired Conditions Updated Baseline Rates and Preliminary Results 2014-2016. Rockville, MD: Agency for Healthcare Research and Quality (AHRQ); 2018.
3. AHRQ. Toolkit for using the AHRQ quality indicators. http://www.ahrq.gov/sites/default/files/wysiwyg/professionals/systems/hospital/qito%20olkit/combined/combined_toolkit.pdf. Published 2016. Accessed May 23, 2022.
4. Alderden J, Rondinelli J, Pepper G, Cummins M, Whitney JA. Risk factors for pressure injuries among critical care patients: a systematic review. *Int J Nurs Stud.* 2017;71:97-114. doi:10.1016/j.ijnurstu.2017.03.012.
5. ARMITAGE P, BERRY G, MATTHEWS JNS. *Statistical methods in medical research.* Fourth Edition. Oxford: Blackwell Science 2002.
6. Ayello, E. A. & Franz, R. A. (1951). Pressure ulcer prevention and treatment: Competency-based nursing curricula. Reprinted with permission from the National Pressure Ulcer Advisory Panel. *Dermatology Nursing*, 15(1), 44-47.

7. Baier, R. R., Gifford, D. R., Lyder, C. H., Schall, M. W., Funston-Dillon, D. L., Lewis, J. M. et al. (2003). Quality improvement for pressure ulcer care in the nursing home setting: The Northeast Pressure Ulcer Project. *Journal of the American Medical Directors Association*, 4(6), 291-301.
8. Baker, E. A. & Leaper, D. J. (2003). Pressure-relieving properties of an intra-operative warming device. *Journal of Wound Care*, 12(4), 156-160.
9. Bale, S., Price, P., Rees-Mathews, S., & Harding, K. G. (1322). Pressure area care. Recognizing the feet as being at risk for pressure damage. *British Journal of Nursing*, 10(20), 1320.
10. Bale, S., Tebble, N., Jones, V., & Price, P. (2004). The benefits of implementing a new skin care protocol in nursing homes. *Journal of Tissue Viability*, 14(2), 44-50.
11. Bates-Jensen, B. M. (2001). Quality indicators for prevention and management of pressure ulcers in vulnerable elders. *Annals of Internal Medicine*, 135(8 part 2), 744- 751.
12. Bates J, Vredevoe DL, Brecht ML. Validity and reliability of the pressure sore status tool. *Decubitus* 1992;5:20-8.
13. Baumgarten, M., Margolis, D., Berlin, J. A., Strom, B. L., Garino, J., Kagan, S. H. et al. (2003). Risk factors for pressure ulcers among elderly hip fracture patients. *Wound Repair & Regeneration*. 11(2), 96-103.
14. Baum F, MacDougall C, Smith D. Participatory action research. *J. Epidemiol Community Health*. 2006;60(10):854-857. doi:10.1136/jech.2004.028662.
15. Beitz, J. M. (2001). Overcoming barriers to quality wound care: A systems perspective. *Ostomy Wound Management*, 47(3), 56-64.
15. Berquist-beringer S. Pressure ulcers and prevention among acute care hospitals in the United States. *Jt commision J Qual Patient Saf*. 2013;39(13):404-414 38
16. Bergquist, S. (2001). Subscales, subscores, or summative score: Evaluating the contribution of Braden Scale items for predicting pressure ulcer risk in older adults receiving home health care. *Journal of Wound, Ostomy, & Continence Nursing*, 28(6), 279-289.
17. Bergquist, S. & Frantz, R. (2001). Braden scale: Validity in community-based older adults receiving home health care. *Applied Nursing Research*, 14(1), 36-43.
18. Bergstrom, N. & Braden, B. J. (2002). Predictive validity of the Braden Scale among Black and White subjects. *Nursing Research*, 51(6), 398-403.
19. Betes J, Barbara M. Quality indicators for prevention and management of pressure ulcers in vulnerable elders. *Ann Intern Med* 2001;135:744-51. 21.
20. Black JM, Edsberg LE, Baharestani MM, et al. Pressure ulcers: avoidable or unavoidable? Results of the National Pressure Ulcer Advisory Panel Consensus Conference. *Ostomy Wound Manage*. 2011;57(2):24-37. <http://www.ncbi.nlm.nih.gov/pubmed/21350270>.

21. Bours GJ: "Prevalence, prevention, and treatment of pressure ulcers: descriptive study in 89 institutions in the Netherlands." *Res Nurs Health*. 2002 Apr;25(2):99- 110
22. Braden BJ, Bergstrom N. Predictive validity of the Braden Scale for pressure sore risk in a nursing home population. *Res Nurs Health* 1994;17:459-70.
23. Bryant, R. A. & Rolstaf, B. S. (2001). Utilizing a systems approach to implement pressure ulcer prediction and prevention. *Ostomy Wound Management*, 47(9), 26-30.
24. Buss, I. C., Halfens, R. J. G., & Abu-Saad, H. H. (2002). The most effective time interval for repositioning subjects at risk of pressure sore development. *Rehabilitation Nursing*, 27(2), 59-66.
25. Burk RS, Grap MJ. Backrest position in prevention of pressure ulcers and ventilator-associated pneumonia: conflicting recommendations. *Hear Lung*. 2012;41(6):536-545. doi:10.1016/j.hrtlng.2012.05.008.
26. CASSENDRA AM. The Development of a Pressure Ulcer Risk-Assessment Scale for Perioperative Patients. *AORN Journal* September 2010 Vol 92, n°3; 272-87.
27. Censis (2012a) 10° Rapporto Censis/Ucsi sulla comunicazione. I media siamo noi. L'inizio dell'era biomediativa. Disponibile all'indirizzo: www.censis.it
28. Censis (2012b) 46° Rapporto sulla situazione sociale del Paese. Disponibile all'indirizzo: www.censis.it
31. Cox J. Pressure injury risk factors in adult critical care patients: a review of the literature. *Ostomy Wound Manag*. 2017;63(11):30-43
29. Creswell JW, Plano Clark VL. *Designing and Conducting Mixed Methods Research*. 3rd ed. Thousand Oaks, CA: SAGE Publications; 2018.
33. Cullum, N. (2001). Pressure ulcer prevention and treatment: A synopsis of the current evidence from research. *Critical Care Nursing Clinics of North America*, 13(4), 547- 554.
30. Cullum, N., Nelson, E. A., & Sheldon, T. (2001). Systematic reviews of wound care management (5): Pressure-relieving beds, mattresses and cushions for the prevention and treatment of pressure sores. *Health Technology Assessment*), 5(9), Winchester, England.
31. Cusack C, Cohen B, Mignone J, Chartier MJ, Lutfiyya Z. Participatory action as a research method with public health nurses. *J Adv Nurs*. 2018;74(7):1544-1553. doi:10.1111/jan.13555. 39
32. Dang D, Dearholt S. *Johns Hopkins Evidence-based Practice: Model and Guidelines*. 3rd ed. Indianapolis, IN: Sigma Theta Tau International; 2018.
33. Davis, C. M. & Caseby, N. G. (2001). Prevalence and incidence studies of pressure ulcers in two long-term care facilities in Canada. *Ostomy Wound Management*, 47(11), 28-34.
34. Davsion C, Bartels S, Purkey E, et al. Last mile research: a conceptual map. *Global Health Action*. 2021;14(1):1893026. doi:10.1080/16549 716.2021.1893026.

35. DEALEY C. Skin Care and Pressure Ulcers. Clinical Management. *Advances in Skin & Wound Care*, September 2009; 22: 421-8
36. Demarré L, Van Lancker A, Van Hecke A, et al. The cost of prevention and treatment of pressure ulcers: a systematic review. *Int J Nurs Stud*. 2015;52(11):1754-1774. doi:10.1016/j.ijnurstu.2015.06.006.
37. DeVellis R. *Scale Development: Theory and Applications*. Vol 26. Thousand Oaks, CA: Sage Publications; 2003.
38. Donabedian A. Evaluating the quality of medical care. *Milbank Q*. 2005;83(4):691- 729.
39. Eachempati, S. R., Hydo, L. J., & Barie, P. S. (2001). Factors influencing the development of decubitus ulcers in critically ill surgical patients. *Critical Care Medicine*, 29(9), 1678-1682.
40. Edsberg LE, Langemo D, Baharestani MM, Posthauer ME, Goldberg M. Unavoidable pressure injury. *J Wound Ostomy Continence Nurs*. 2014;41(4):313-334. doi:10.1097/WON.000000000000050.
41. Ehde D, Wegener S, Williams R, et al. Developing, testing, and sustaining rehabilitation interventions via participatory action research. *Arch Phys Med Rehabil*. 2013;94(1 suppl):S30-S42. doi:10.1016/j.apmr.2012.10.025.
42. European Pressure Ulcer Advisory Panel, National Pressure Injury Advisory Panel, Pan Pacific Pressure Injury Association. In: Haesler E, ed. *Prevention and Treatment of Pressure Ulcers/Injuries: Clinical Practice Guideline. The International Guideline*. EPUAP/NPIAP/PPPIA; 2019.
43. *Eval Program Plann*. 2003;26(3):249-262.
44. FEUCHTINGER J, HALFENS RJ, DASSEN T. Pressure ulcer risk factors in cardiac surgery: a review of the research literature. *Heart & Lung*. 2005;34(6):375-85.
45. Fife, C., Otto, G., Capsuto, E. G., Brandt, K., Lyssy, K., Murphy, K. et al. (2001). Incidence of pressure ulcers in a neurologic intensive care unit. *Critical Care Medicine*, 29(2), 283-290.
46. Fisher, A. R., Wells, G., & Harrison, M. B. (2004). Factors associated with pressure ulcers in adults in acute care hospitals. *Advances in Skin & Wound Care*, 17(2), 80- 90.
47. Fox S (2011) Health topics: 80% of internet users look for health information online. Pew Research Center's Internet & American Life Project. Disponibile all'indirizzo: <http://pewinternet.org/Reports/2011/HealthTopics.aspx>
48. Frantz, R. A. (2004). Evidence-based protocol: Prevention of pressure ulcers. *Journal of Gerontological Nursing*, 30(2), 4-11. 40
49. Gallico NE, Mulliken JB, Banks-Schlegel S. Permanent coverage of large burn wound with autologous cultured human epithelium. *N Eng J Med* 1984;311:448-51.
50. Garber, S. L. & Rintala, D. H. (2003). Pressure ulcers in veterans with spinal cord injury: A retrospective study. *Journal of Rehabilitation Research & Development*, 40(5), 433-441.

51. Geyer, M. J., Brienza, D. M., Karg, P., Treffer, E., & Kelsey, S. (2001). A randomized control trial to evaluate pressure-reducing seat cushions for elderly wheelchair users. *Advances in Skin & Wound Care*, 14(3), 120-132.
52. Golden S, Hager D, Gould L, Mathioudakis N, Pronovost P. A gap analysis needs assessment tool to drive a care delivery and research agenda for integration of care and sharing of best practices across a health system. *Jt Comm J Qual Patient Saf*. 2017;43(1):18-28. doi:10.1016/j.jcjq.2016.10.004.
53. Gosnell DJ. An assessment tool to identify pressure sores. *NursRes* 1973;22:55-9.
54. Gosnell DJ. Pressure sore risk assessment: a critique. Part I, the Gosnell Scale. *Decubitus* 1989;2:32-8.
55. Grap MJ, Munro CL, Wetzel PA, et al. Backrest elevation and tissue interface pressure by anatomical location during mechanical ventilation. *Am J Crit Care*. 2016;25(3):e56-e63. doi:10.4037/ajcc2016317.
56. Gray M, Giuliano KK. Incontinence-associated dermatitis, characteristics and relationship to pressure injury. *J Wound Ostomy Continence Nurs*. 2018;45(1):63-67. doi:10.1097/WON.0000000000000390.
57. Gunningberg, L., Lindholm, C., Carlsson, M., & Sjoden, P. (2001). Reduced incidence of pressure ulcers in patients with hip fractures: A 2-year follow-up of quality indicators. *International Journal for Quality in Health Care*, 13(5), 399-407.
58. Gunningberg, L., Lindholm, C., Carlsson, M., & Sjoden, P. (2001). Risk, prevention and treatment of pressure ulcers – nursing staff knowledge and documentation. *Scandinavian Journal of Caring Sciences*, 15(3), 257-263.
59. Gunningberg, L. (2004). Pressure ulcer prevention: Evaluation of an education programme for Swedish nurses. *Journal of Wound Care*, 13(3), 85-89.
60. Haesler E, Pittman J, Cuddigan J, et al. An exploration of the perspectives of individuals and their caregivers on pressure ulcer/ injury prevention and management to inform the development of a clinical guideline. *J Tissue Viability*. 2022;31(1):1-10. doi:10.1016/j.jtv.2021.10.008.
61. Harada, C., Shigematsu, T., & Hagiwara, S. (2002). The effect of 10-degree leg elevation and 30-degree head elevation on body displacement and sacral interface pressures over a 2-hour period. *Journal of Wound, Ostomy, & Continence Nursing*, 29(3), 143-148.
62. Horn SD, et al. "Description of the National Pressure Ulcer Long-Term Care Study". *J Am Geriatr Soc*. 2002 Nov;50(11):1816-25.
63. Horn, S. D., Bender, S. A., Ferguson, M. L., Smout, R. J., Bergstrom, N., Taler, G. et al. (2004). The National Pressure Ulcer Long-Term Care Study: Pressure Ulcer Development in Long-Term Care Residents. *Journal of the American Geriatrics Society*, 52(3), 359-367.

64. Houwing, R. H., Rozendaal, M., Wouters-Wesseling, W., Beulens, J. W., Buskens, E., & Haalboom, J. R. (2003). A randomised, double-blind assessment of the effect of nutritional supplementation on the prevention of pressure ulcers in hip-fracture patients. *Clinical Nutrition*, 22(4), 401-405. 41
65. Hunter, S., Anderson, J., Hanson, D., Thompson, P., Langemo, D., & Klug, M. G. (2003). Clinical trial of a prevention and treatment protocol for skin breakdown in two nursing homes. *Journal of Wound, Ostomy and Continence Nursing*, 30(5), 250- 258.
66. Ilesanmi R, Gillespie B, Adejumo P, Chaboyer W. Tailoring international pressure ulcer prevention guidelines for Nigeria: a knowledge translation study protocol. *Healthcare (Basel)*. 2015;3(3):619-629. doi:10.3390/healthcare3030619.
67. Kelleher AD, Moorer A, Makic MF. Peer-to-peer nursing rounds and hospital-acquired pressure ulcer prevalence in a surgical intensive care unit: a quality improvement project. *J Wound Ostomy Continence Nurs*. 2012;39(2):152-157. doi:10.1097/WON.0b013e3182435409.
68. Kernozek, T. W., Wilder, P. A., Amundson, A., & Hummer, J. (2002). The effects of body mass index on peak seat-interface pressure of institutionalized elderly. *Archives of Physical Medicine & Rehabilitation*, 83(6), 868-871.
69. Krause, J. S., Vines, C. L., Farley, T. L., Sniezek, J., & Coker, J. (2001). An exploratory study of pressure ulcers after spinal cord injury: Relationship to protective behaviors and risk factors. *Archives of Physical Medicine & Rehabilitation*, 82(1), 107-113.
70. Lachenbruch C, Ribble D, Emmons K, VanGilder C. Pressure ulcer risk in the incontinent patient analysis of incontinence and hospital-acquired pressure ulcers from the International Pressure Ulcer PrevalenceTM Survey. *J Wound Ostomy Continence Nurs*. 2016;43(3):235- 241. doi:10.1097/WON.0000000000000225.
71. Lahmann NA, Kottner J. Relation between pressure, friction and pressure ulcer categories: a secondary data analysis of hospital patients using CHAID methods. *Int J Nurs Stud*. 2011;48(12):1487-1494. doi:10.1016/j.ijnurstu.2011.07.004.
72. Levine NS, Lindberg RB, Mason AD, Pruitt BA. The quantitative swab culture and smear: a quick, simple method for determining the number of viable aerobic bacteria on open wounds. *J Trauma* 1976;16:89-94.
73. Lewis, M., Pearson, A., & Ward, C. (2003). Pressure ulcer prevention and treatment: Transforming research findings into consensus based clinical guidelines. *International Journal of Nursing Practice*, 9(2), 92-102.
74. Lima Serrano M, González Méndez MI, Carrasco Cebollero FM, Lima Rodríguez JS. Risk factors for pressure ulcer development in intensive care units: a systematic review. *Med Intensiva (English Ed)*. 2017;41(6):339-346. doi:10.1016/j.medine.2017.04.006.

75. Lindgren, M., Unosson, M., Fredrikson, M., & Ek, A. (2004). Immobility – a major risk factor for development of pressure ulcers among adult hospitalized patients: A prospective study. *Scandinavian Journal of Caring Sciences*, 18(1), 57-64.
76. Lindgren, M., Unosson, M., Krantz, A., & Ek, A. (2002). A risk assessment scale for the prediction of pressure sore development: Reliability and validity. *Journal of Advanced Nursing*, 38(2), 190-199.
77. Lindgren M, Unosson M, Fredrikson M, Ek AC. Immobility—a major risk factor for development of pressure ulcers among adult hospitalized patients: a prospective study. *Scand J Caring Sci*. 2004;18(1):57- 64. doi:10.1046/j.0283- 9318.2003.00250.x.
78. Lyder, C. H., Shannon, R., Empleo-Frazier, O., McGehee, D., & White, C. (2002). A comprehensive program to prevent pressure ulcers in long-term care: Exploring costs and outcomes. *Ostomy Wound Management*, 48(4), 52-62. 42
79. Lyder CH, Wang Y, Metersky M, et al. Hospital-acquired pressure ulcers: results from the national Medicare Patient Safety Monitoring System Study. *J Am Geriatr Soc*. 2012;60(9):1603-1608.
80. Lynn M. Determination and quantification of content validity. *Nurs Res*. 1986;35(6):382-386.
81. MacLeod, F. E., Harrison, M. B., & Graham, I. D. (2002). The process of developing best practice guidelines for nurses in Ontario: Risk assessment and prevention of pressure ulcers. *Ostomy Wound Management*, 48(10), 30-32.
82. MAIORINO C, NATALE A, MARSICANO R, BUONANNO C, CARMELINGO R. Linea guida sulle lesioni da decubito, prevenzione e trattamento. Azienda Sanitaria Locale Salerno 1
83. Marano, P. & Boccaccio, S. (2003). Pressure ulcers: Cognitive disorders and motor feedback disturbances as risk factors. *Europa Medicophysica*, 39(3), 135-140.
84. Marrie, R. A., Ross, J. B., & Rockwood, K. (2003). Pressure Ulcers: Prevalence, staging, and assessment of risk. *Geriatrics Today: Journal of the Canadian Geriatrics Society*, 6(3), 134-140.
85. MASATSUGU M, AKATA T, ITONAGA Y, NAKAO F, KANSHA M ET AL. Quantitative assessment of pressure relief at the sacral area in adults lying supine on the operating room table. 2005, 54, 313-319.
86. Mathus-Vliegen, E. M. H. (2001). Nutritional status, nutrition, and pressure ulcers. *Nutrition in Clinical Practice*, 16(5), 286-291.
87. Mayrovitz, H. N. & Sims, N. (2001). Biophysical effects of water and synthetic urine on skin. *Advances in Skin & Wound Care*, 14(6), 302-308.
88. Mayrovitz, H. N. & Sims, N. (2002). Effects of different cyclic pressurization and relief patterns on heel skin blood perfusion. *Advances in Skin & Wound Care*, 15(4), 158-160.
89. McEvoy N, Avsar P, Patton D, Curley G, Kearney CJ, Moore Z. The economic impact of pressure ulcers among patients in intensive care units. A systematic review. *J Tissue Viability*. 2021;30(2):168-177. doi:10.1016/j.jtv.2020.12.004.

90. Meraviglia, M., Becker, H., Grobe, S. J., & King, M. (2002). Maintenance of skin integrity as a clinical indicator of nursing care. *Advances in Skin & Wound Care*, 15(1), 24-29.
91. Ministero della Salute (2011) Piano Sanitario Nazionale 2011-2013. Disponibile all'indirizzo: www.salute.gov.it Silvestro A (2009) (a cura di) Commentario al codice deontologico dell'infermiere 2009. McGraw Hill, Milano
92. National Pressure Ulcer Advisory Panel EPUAP and PPPIA. Prevention and Treatment of Pressure Ulcers: Clinical Practice Guideline. EPUAP/ NPIAP/PPPIA; 2019.
93. National Institute for Clinical Excellence (2003). The use of pressure-relieving devices (beds, mattresses and overlays) for the prevention of pressure ulcers in primary and secondary care. [Online]. Available: www.nice.org.uk/page.aspx?o=89894
94. National Institute of Clinical Studies (2003). Guidelines for the prevention and management of pressure ulcers: Strategies for implementation. [Online]. Available: www.nicsl.com.au
95. Neuman B. The Neuman system model in research and practice. *Nurs Sci Q*. 1996;9(2):67-70. 43
96. Neuman B, Fawcett J. *The Neuman Systems Model*. 4th ed. Hoboken, NJ: Prentice Hall; 2002.
97. Norton D, McLaren R, Exton-Smith AN. An investigation of geriatric nursing problems in hospitals. London: National Corporation for the Care of Old People 1962.
98. NPIAP. Pressure Injury Fact Sheet. Westford, MA: National Pressure Injury Advisory Panel; 2019. <https://npiap.com/page/FreeMaterials>. Accessed May 23, 2022.
99. Padula WV, Delarmente BA. The national cost of hospital-acquired pressure injuries in the United States. *Int Wound J*. 2019;16(3):634- 640. doi:10.1111/iwj.13071.
100. Patient Centered Outcomes Research Institute (PCORI). The value of engagement: engagement in research. Published October 30, 2018. <https://www.pcori.org/engagement/value-engagement>. Accessed May 23, 2022.
101. Pittman J, Beeson T, Dillon J, et al. Hospital-acquired pressure injuries and acute skin failure in critical care: a case-control study. *J Wound Ostomy Continence Nurs*. 2021;48(1):20-30. doi:10.1097/WON.0000000000000734.
102. Pittman J, Nichols T, Rawl S. Evaluation of web-based ostomy patient support resources. *J Wound Ostomy Continence Nurs*. 2017;44(6):550-556.
103. Polit D, Beck C. The content validity index: are you sure you know what's being reported? Critique and Recommendations. *Res Nurs Health*. 2006;29(5):489- 497.
104. Polit D, Beck C, Owen S. Is the CVI and acceptable indicator of content validity? Appraisal and recommendations. *Res Nurs Health*. 2007;30(4):459-467. doi:10.1002/nur.20199.
105. Pokorny, M. E., Koldjeski, D., & Swanson, M. (2003). Skin care intervention for patients having cardiac surgery, *American Journal of Critical Care*, 12(6), 535- 544.

106. Polit D, Beck C. *Essentials of Nursing Research: Appraising Evidence for Nursing Practice*. 9th ed. Wolters Kluwer; 2018.
107. Ragan, R., Kernozek, T. W., Bidar, M., & Matheson, J. W. (2002). Seatinterface pressures on various thicknesses of foam wheelchair cushions: A finite modeling approach. *Archives of Physical Medicine & Rehabilitation*, 83(6), 872- 875
108. Raghavan, P., Raza, W. A., Ahmed, Y. S., & Chamberlain, M. A. (2003). Prevalence of pressure sores in a community sample of spinal injury patients. *Clinical Rehabilitation*, 17(8), 879-884.
109. Rawl S, Bailey S, Cork B, et al. Partnering to increase colorectal cancer screening: perspectives of community advisory board members. *West J Nurs Res*. 2021;43(10):930-938. doi:10.1177/019394592 1993174.
110. Rayyan Systems Inc.: <https://www.rayyan.ai/>. 2022. Accessed May 23, 2022.
111. Reed, R. L., Hepburn, K., Adelson, R., Center, B., & McKnight, P. (2003). Low serum albumin levels, confusion, and fecal incontinence: Are these risk factors for pressure ulcers in mobility-impaired hospitalized adults? *Gerontology*, 49(4), 255-259.
112. REGISTERED NURSES' ASSOCIATION OF ONTARIO. Risk assessment and prevention of pressure ulcers, (Revised). Toronto, Canada: 2005. 44
113. Russell, L. J., Reynolds, T. M., Park, C., Rithalia, S., Gonsalkorale, M., Birch, J. et al. (2003). Randomized clinical trial comparing two support surfaces: Results of the prevention of pressure ulcers study. *Advances in Skin & Wound Care*, 16(6), 317-327.
114. Rycroft-Malone, J. & McInness, E. (2000). Pressure ulcer risk assessment and prevention. Technical report. London: Royal College of Nursing.
115. Sacks D. Content Validity Study for a Survey to Measure Faculty Attitudes Towards Research and Teaching at a Doctoral/Research Extensive University. Cincinnati, OH: College of Education. Criminal Justice, and Human Services, University of Cincinnati; 2004
116. Safdar N, Dezfulian C, Collard HR, Saint S. Clinical and economic consequences of ventilator-associated pneumonia: a systematic review. *Crit Care Med*. 2005;33(10):2184-2193. doi:10.1097/01.CCM.0000181731.53912.D9.
117. Saliba, D., Rubenstein, L. V., Simon, B., Hickey, E., Ferrell, B., Czarnowski, E. et al. (2003). Adherence to pressure ulcer prevention guidelines: Implications for nursing home quality. *Journal of the American Geriatrics Society*, 51(1), 56-62
118. Schallom M, Dykeman B, Metheny N, Kirby J, Pierce J. Head-of-bed elevation and early outcomes of gastric reflux, aspiration and pressure ulcers: a feasibility study. *Am J Crit Care*. 2015;24(1):57-66. doi:10.4037/ajcc2015781.

119. Schoonhoven, L., Haalboom, J. R. E., Bousema, M. T., Algra, A., Grobbee, D. E., Grypdonck, M. H. et al. (2002). Prospective cohort study of routine use of risk assessment scales for prediction of pressure ulcers. *British Medical Journal*, 325(7368), 797-800.
120. SCHOONHOVEN L, DEFLOOR T, GRYPDONCK MH. Incidence of pressure ulcers due to surgery. *Journal of Clinical Nursing*, 2002, 11, 479-487.
121. Schulz AJ, Israel BA, Lantz P. Instrument for evaluating dimensions of group dynamics within community-based participatory research partnerships.
122. Seongsook, R. N. J., Ihnsook, R. N. J., & Younghee, R. N. L. (2004). Validity of pressure ulcer risk assessment scales: Cubbin and Jackson, Braden, and Douglas scale. *International Journal of Nursing Studies*, 41(2), 199-204.
123. Sinclair, L., Berwiczonek, H., Thurston, N., Butler, S., Bulloch, G., Ellery, C. et al. (2004). Evaluation of an evidence-based education program for pressure ulcer prevention. *Journal of Wound, Ostomy, & Continence Nursing*, 31(1), 43-50.
124. Sprigle, S., Linden, M., & Riordan, B. (1946). Analysis of localized erythema using clinical indicators and spectroscopy. *Ostomy Wound Management*, 49(3), 42- 44.
125. Song Y, Shen H, Cai J, Zha M, Chen H. The relationship between pressure injury complication and mortality risk of older patients in follow-up: A systematic review and meta-analysis. *Int Wound J*. 2019;16(6):1533-1544. doi:10.1111/iwj.13243.
126. SSR EMILIA-ROMAGNA, AZIENDA OSPEDALIEROUNIVERSITARIA DI BOLOGNA, POLICLINICO S.ORSOLA-MALPIGHI, AZIENDA USL DIBOLOGNA. Linee Guida Prevenzione e Trattamento delle lesioni da pressione.
127. STATA CORP. 2011. Stata: Release 11, Statistical Software, College Station, TX: SCHULTRA, BIEN M, DUMOND K, BROWN K, MYERS A. Etiology and Incidence of Pressure Ulcers in Surgical Patients. *AORN Journal*. Vol 70, n. 3 september 1999; 434-449. 45
128. Stephens, F. & Bick, D. (2002). Risk assessment and prevention audit project. *Nursing Standard*, 16(44), 62.
129. Stephens, F. & Bick, D. (2003). A dissemination and implementation strategy for Royal College of Nursing guidelines/NICE inherited guidance. *Journal of Clinical Excellence*, 4(3), 330-332.
130. Sterzi, S., Selvaggi, G., Romanelli, A., Valente, P., & Bertolini, C. (2003). Evaluation of prevalence and incidence of pressure ulcers and their relationship with mattresses used in a general hospital intensive care unit. *European Journal of Plastic Surgery*, 25(7-8), 401-404. 135. Stevens K. The impact of evidence-based practice in nursing and the next big ideas. *Online J Issues Nurs*. 2013;18(2):4. 136. Stinson, M. D., Porter-Armstrong, A., & Eakin, P. (2003). Seat-interface pressure: A pilot study of the relationship to gender, body mass index, and seating position. *Archives of Physical Medicine &*

- Rehabilitation, 84(3 Suppl), 405-409. 137. Stotts NA. Determination of bacterial burden in wounds. *Adv Wound Care* 1995;8(Suppl.):46-52.
131. TONELLI L, BRANDI C, BRUNI S, CANTARELLI G, CAPPELLI S, ET AL. Piano Nazionale Linee Guida. Ulcere da pressione: prevenzione e trattamento, Consiglio sanitario nazionale, Regione Toscana; 2005: 16 pag. 15-26.
132. Ume-Nwagbo PN, DeWan SA, Lowry LW. Using the Neuman systems model for best practices. *Nurs Sci Q.* 2006;19(1):31-35.
133. Vanderwee K, Clark M, Dealey C, Gunningberg L, Defloor T. Pressure ulcer prevalence in Europe: a pilot study. *J Eval Clin Pract.* 2007;13(2):227-235. doi:10.1111/j.1365-2753.2006.00684.x.
134. Vangilder CA, Cox J, Edsberg LE, Koloms K. Pressure injury prevalence in acute care hospitals with unit-specific analysis: results from the International Pressure Ulcer Prevalence (IPUP) Survey database. *J Wound Ostomy Continence Nurs.* 2021;48(12):492-503. doi:10.1097/WON.0000000000000817.
135. Vanzetta M, Vellone E, De Marinis MG, Cavicchi I, Alvaro R (2012) L'informazione online fornita dai siti delle Aziende Sanitarie Ospedaliere Italiane: indagine descrittiva sull'aderenza alle linee guida del Ministero della Salute. *Ann Ig,* 24 (6), 507-516.
136. Williamson R, Lachenbruch C, Vangilder C. The effect of multiple layers of linens on surface interface pressure: results of a laboratory study. *Ostomy Wound Manag.* 2013;59(6):38-47.
137. WOCN. About the society. <https://www.wocn.org/about/>. 2022. Accessed May 23, 2022.
138. WONG VK, STOTTS NA, HOPF HW, FROELICHER ES, DOWLING GA. How heel oxygenation changes under pressure. *Wound Repair Regen,* 2007 Nov-Dec;15(6):786-94.
139. Wound, Ostomy, Continence Nurses Society™ (WOCN). An Evidence- and Consensus-Based Support Surface Algorithm. [https:// algorithm.wocn.org/#home](https://algorithm.wocn.org/#home).
140. Wynd C, Schmidt B, Schaefer M. Two quantitative approaches for estimating content validity. *West J Nurs Res.* 2003;25(5):508-518.
141. Xakellis GC, Frantz R, Lewis A. Cost of pressure ulcer prevention in longterm care. *J Am Geriatr Soc* 1995;43:496-501. 149. Zamanzadeh V, Ghahramanian A, Rassouli M, Abbaszadeh A, Alavi-Majd H, Nikanfar AR. Design and implementation content validity study: development 46 of an instrument for measuring patient-centered communication. *J Caring Sci.* 2015;4(2):165-178. doi:10.15171/jcs.2015.017
142. Zimmermann GS, Cremasco MF, Zanei SSV, Takahashi SM, Cohrs CR, Whitaker IY. Pressure injury risk prediction in critical care patients: an integrative review. *Texto Contexto Enfermagem.* 2018;27(3):e3250017.

143. ZOU G. A modified poisson regression approach to prospective studies with binary data, Am J Epidemiol 2004;159(7):702-706.

Abstract Tesi di Infermieristica

Titolo: Lesioni da pressione: aspetti sulla prevenzione, la valutazione e la gestione infermieristica

Nome: Mattia

Cognome: Sciannamea

Seduta del: 17/04/2023

Relatore: Gianfranco Verna